
RIFLE
CATALOG

ACTIONS
SPEAK
LOUDER



deryaarms.com

support@deryaarms.com
+90 (332) 514 8118
Derya Silah San. Ltd. O.S.B. 41959 Sk. No:24 42700 Konya/TÜRKİYE

FOLLOW US deryaarms

® DERYA SILAH SANAYI VE TICARET LIMITED SIRKETI ARE REGISTERED TRADEMARKS, ALL RIGHTS RESERVED© 2026

DERYA®


TM22
Flash

NEW PRODUCT ZONE



TM22-A-18
FLASH C101



TM22-A-18
FLASH C103



TM22-A-18
FLASH C110



TM22-A-18 FLASH C111

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	FLASH C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
TM22-A-18	FLASH C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
TM22-A-18	FLASH C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
TM22-A-18	FLASH C111	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 36"	Semi Automatic

NEW PRODUCT ZONE



TM22 PA-18 C101



TM22 PA-18*
C401



DYPA-18
C401



DYPA-12
C401

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22 PA-18	C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,10 kg / 4.6 lb.	89.5 cm / 35.2"	Pump Action
TM22 PA-18	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.8 lb.	94.5 cm / 37.2"	Pump Action
DYPA-18	C401	9x19	1:10" RH, 6 Grooves	15+1	45.7 cm / 18"	2,30 kg / 5.0 lb.	95.5 cm / 37.5"	Pump Action
DYPA-12	C401	9x19	1:10" RH, 6 Grooves	15+1	30.5 cm / 12"	2,10 kg / 4.6 lb.	79 cm / 31"	Pump Action

*AVAILABLE IN 12" AND 20" BARREL LENGTHS.

NEW PRODUCT ZONE



DYBA-20
C401



DYBA-12
C401



TM22 BA-18*
C401



TM22 BA-18*
C403



TM22 BA-18*
C411

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
DYBA-20	C401	9x19	1:10" RH, 6 Grooves	15+1	50 cm / 20"	2,85 kg / 6.3 lb.	106.5 cm / 42"	Bolt Action
DYBA-12	C401	9x19	1:10" RH, 6 Grooves	15+1	30.5 cm / 12"	2,65 kg / 5.9 lb.	91.44 cm / 36"	Bolt Action
TM22 BA-18*	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
TM22 BA-18*	C403	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
TM22 BA-18*	C411	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action

*AVAILABLE IN 16" AND 20" BARREL LENGTHS.

NEW PRODUCT ZONE



TM22M BA-18*
C401



TM22M BA-18*
C403



TM22M BA-18*
C411



TM22 SP-18 C401



TM22M SP-18*
C401

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22M BA-18*	C401	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
TM22M BA-18*	C403	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
TM22M BA-18*	C411	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
TM22 SP-18*	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,90 kg / 4.2 lb.	93 cm / 36.6"	Straight Pull
TM22M SP-18*	C401	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,90 kg / 4.2 lb.	93 cm / 36.6"	Straight Pull

*AVAILABLE IN 16" AND 20" BARREL LENGTHS.

TM22

The TM22 is a .22LR classified as a hunting rifle. However, due to the fact that this caliber is one of the most popular calibers around the world, and the TM22 is a full aluminum or polymer (Feather version), reliable, and accurate rifle, it also allows for use in different fields such as training, practicing, and fun.

Of course, one of the main reasons for choosing this Semi-Automatic Rimfire are reduces recoil, the silence and the excitement during shooting. Our TM22 model, which offers various magazine options, is striking for its lightness, durability and accuracy when shooting. Thanks to the standard-compliant picatinny rail on the top you can easily mount various red-dot sights and scopes to achieve precise shooting.

With compatibility for an AR-type grip, a commercial buffer tube adapter, a top rail, and a forend that accepts most aftermarket accessories, this rifle is designed for users of all ages and a wide range of scenarios. This 18″ barrel 34″ Overall length .22LR rifle was built with no compromises and comes with two 10rd polymer magazines. Aftermarket factory 15rd and 25rd magazines are available.

TM22-A-18 features

FEELS



REVOLUTIONARY

TM22-A-18 C101 | .22LR | 45.7cm / 18” Barrel | 2.80kg Weight | Semi Automatic

COMMERCIAL TUBE THREADS STOCK OPTIONS AVAILABLE



PICATINNY RAIL



ALUMINIUM RECEIVER



FLAT TRIGGER

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET 15RD / 25RD MAGAZINES



*Adjustable Buttstock and Long Forends Available Upon Request



TM22-A-18 C101L*



TM22-A-16 C101



TM22-A-12 C101



TM22-A-18 C109



TM22-A-18 C110



TM22-A-18 C111



TM22-A-18 C103



TM22-A-18 C116

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	C101L	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1 lb.	86.5 cm / 34"	Semi Automatic
TM22-A-16	C101	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	2,40 kg / 5.3 lb.	81.5 cm / 32"	Semi Automatic
TM22-A-12	C101	.22LR	1:16" RH, 6 Grooves	10+1	30.5 cm / 12"	2,30 kg / 5.0 lb.	70 cm / 27.5"	Semi Automatic
TM22-A-18	C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1 lb.	86.5 cm / 34"	Semi Automatic

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	C109	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	C111	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	C116	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic

TM22 Feather

The TM22 Feather is an innovation in rifles, offering a feather-light and versatile shooting experience. Crafted with precision, this rifle features a polymer forend, receiver, stock, and magazine, all contributing to its exceptional lightweight design, making it comfortable and effortless to shoot.

Unlike its aluminium counterpart, the TM22 Feather comes with an AR-type stock, enhancing control and adaptability during shooting. The ergonomic design complements the rifle's aesthetics. At its core lies a durable polymer receiver, a testament to modern engineering. This receiver not only reduces weight but also makes it suitable for shooters of all levels.

Retaining the essence of the versatile .22 LR caliber, the TM22 Feather caters to hunters, trainers, and recreational shooters. Experience reduced recoil, silence, and excitement with the TM22 Feather. It offers impeccable accuracy, multiple magazine options, and a picatinny rail for accessories.

This .22 LR rifle features a substantial 18″ barrel, an overall length of 34″, and comes with two 10rd polymer magazines. Additional 15rd and 25rd magazines are available.

TM22-A-18 Feather features

PRECISION PERFECTED



WEIGHT DEFLECTED

TM22-A-18 FEATHER C101 | .22LR | 45.7cm / 18" Barrel | 2.20kg Weight | Semi Automatic

ADJUSTABLE STOCK & CHEEK PAD W/ FIXED COMMERCIAL TUBE



CARRY HANDLE INTEGRATED SIGHT W/ FRONT SIGHT





POLYMER AFTERMARKET MAGS

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET 15RD / 25RD MAGAZINES





TM22-A-18
FEATHER C101



TM22-A-16
FEATHER C101



TM22-A-12
FEATHER C101



TM22-A-18
FEATHER C103



TM22-A-18 FEATHER
C110



TM22-A-18
FEATHER C113

TM22-A-18
FEATHER C117

TM22-A-18 FEATHER
C102

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9 lb.	86.5 cm / 34"	Semi Automatic
TM22-A-16	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	2,10 kg / 4.6 lb.	78.5 cm / 31"	Semi Automatic
TM22-A-12	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	30.5 cm / 12"	1,95 kg / 4.3 lb.	67.7 cm / 26.5"	Semi Automatic
TM22-A-18	Feather C102	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9 lb.	86.5 cm / 34"	Semi Automatic

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	Feather C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	Feather C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	Feather C113	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	Feather C117	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic

TM22
Standard

TM22 Standard is one of the latest additions to Derya Arms' innovative TM22 ecosystem. Designed for .22LR ammunition, this model offers a lighter, more practical, and user-friendly shooting experience. Its compact and integrated design ensures easy handling and broad compatibility with various accessories.

All signature features of the TM22 family are preserved in this model. It is compatible with polymer magazines of 10, 15, and 20 rounds, allowing users to use the same magazines across all TM22 rifles. The threaded muzzle enables attachment of compatible accessories such as suppressors or compensators. Thanks to its adjustable cheek riser, shooters can professionally align their sight picture when using scopes or red dots. Additionally, the 2 cm buttstock extension spacers allow customization of stock length for a perfect ergonomic fit. By removing the included extension piece, the rifle becomes ideal for younger or smaller shooters as well.

A 22 mm concealed rail under the handguard provides easy installation of bipods, enhancing stability for precise shooting.

With its lightweight and compact build, it's the perfect companion for outdoor shooting and field use. Moreover, special color options are available for female and young shooting enthusiasts.

With the TM22 Standard, you'll be the center of attention at the range!

TM22 Standard features

SHOOT MORE



CARRY EASY

TM22-A-18 STANDARD C101 | .22LR | 45.7cm / 18" Barrel | 2.20kg Weight | Semi Automatic

AG STOCK W/ EXTENSIONS



PICATINNY RAIL



AMBIDEXTROUS CHARGING HANDLE



1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET 15RD / 25RD MAGAZINES





TM22-A-18
STANDARD C101



TM22-A-16
STANDARD C101



TM22-A-18
STANDARD C102



TM22-A-18
STANDARD C103



TM22-A-18
STANDARD C110



TM22-A-18
STANDARD C120



TM22-A-18
STANDARD C122



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	Standard C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic
TM22-A-16	Standard C101	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	1,70 kg / 3.7 lb.	89 cm / 35"	Semi Automatic
TM22-A-18	Standard C102	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic
TM22-A-18	Standard C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	Standard C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic
TM22-A-18	Standard C120	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic
TM22-A-18	Standard C122	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic

TM22 LA

The TM22 LA-18 is ready and waiting to be your next TM22 Rifle. The combination of our Ruby Rise and TM22 brought this unique model to the range. It has an aluminium receiver and magazine, which allows a reliable and accurate rifle and it can be used in different fields such as training, practicing and hunting.

Have you ever seen a detachable magazine fed .22LR Lever Action? No? Then it is time for you to test this matchless Rimfire and enter the brand new world of Lever Actions. Thanks to the standard-compliant picatinny rail on the top you can easily mount all types of red dots and scopes to make perfect shoots.

You can also adjust the length and the cheek pad on the AG Stock. Of course, one of the main reasons for choosing this Lever Action Rimfire is the reduced recoil, the silence and the excitement during shooting. Our TM22 LA-18 model, which has various magazine options, is striking for its lightness, durability and accuracy when shooting. This 18” barrel 36” overall length .22LR rifle was built with no shortcuts, comes with two 10rd polymer magazines. Aftermarket factory 15rd and 25rd magazines are available.

TM22 LA-18 features

THE RIMFIRE LEVER ACTION TO A NEW EXPERIENCE



TM22 LA-18 C401 | .22LR | 45.72cm / 18″ Barrel | 2.30kg Weight | Lever Action

AG STOCK W/ EXTENSIONS



REBOUNDING HAMMER MECHANISM SAFETY





COMPATIBLE W/ TM22 MAGS

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET 15RD / 25RD MAGAZINES





TM22 LA-18 C401



TM22 LA-18 C101



TM22 LA-18 C401T



TM22 LA-18 C401TF



TM22 LA-18 C403



TM22 LA-18 C411



TM22 LA-18 C414



TM22 LA-18 C417

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22 LA-18	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,40 kg / 5.3 lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C401T	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,95 kg / 6.5 lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C401TF	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	3,10 kg / 6.8 lb.	91.44 cm / 36"	Lever Action

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22 LA-18	C403	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C411	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C414	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
TM22 LA-18	C417	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action

ZY9

Unconventional design, unmatched performance, and familiar AR handling. Derya offers you a selection of complete 9mm carbine rifles and pistols for your next training day on the range or competition. Choose from a variety of stock options, barrel lengths, furniture configurations, and more to find the right gun for you.

The ZY9 is the first pistol from the house Derya and offers many features like stock options, AR9 trigger, picatinny rail, M-Lok forend and ½ x 28 UNEF thread on the barrel. It's precise, super precise. You can suppress it well, it fits in a compact package and 9mm is available just about anywhere.
This pistol is chambered in 9mm with a 5.9" button rifled barrel supported by a full-length M-Lok forend. Besides, various barrel lengths are available.

Looking for something a little more refined and perhaps with a last round bolt hold open? It's definitely enhanced with the LRBHO as well as some small niceties that make building and using it an upgrade. The ZY9 is a closed bolt, blowback operated system driven by our 9mm bolt carrier group and feed with standard GLOCK® 9mm magazines. When we were designing the ZY9, our goals were reliability, affordability, and familiar controls for the user. The ZY9 redefines the submachine gun category with a new level of dual system.

ZY9 features

FAMILIAR



UNCONVENTIONAL
UNMATCHED

ZY9 B6-10 | CH101 | 9x19 | 15cm / 5.9″ Barrel | 2,60 kg / 5.7lb. | Semi Automatic

ZY9 B6-10 | DS101 | 9x19 | 15cm / 5.9″ Barrel | 2,70 kg / 5.95lb. | Semi Automatic

STOCK OPTIONS



COMMERCIAL
TUBE THREADS

ALUMINIUM UPPER & LOWER RECEIVER





COMPATIBLE W/ AR9 TRIGGER

1/2 x 28 UNEF THREAD



OPTIONAL
DUAL SYSTEM





ZY9 B6-10 CH101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B6-10	CH101	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH[1]
ZY9 B6-10	DS101	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS[2]



ZY9 B6-10 CH103

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B6-10	CH103	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH[1]
ZY9 B6-10	DS103	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS[2]



ZY9 B6-10 CH110

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B6-10	CH110	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH[1]
ZY9 B6-10	DS110	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS[2]



ZY9 B6-10 CH111

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B6-10	CH111	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH[1]
ZY9 B6-10	DS111	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS[2]

CH[1] = Charging Handle only on the top (AR style) **DS[2]** = Dual System, Charging handle on the top and on the side



ZY9 B10-10
DS1101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B10-10	CH1101	9x19	1:10" RH, 6 Grooves	17+1	25.4 cm / 10"	3,20 kg / 7lb.	63.4 cm / 25"	Semi Automatic	CH[1]
ZY9 B10-10	DS1101	9x19	1:10" RH, 6 Grooves	17+1	25.4 cm / 10"	3,30 kg / 7.2lb.	63.4 cm / 25"	Semi Automatic	DS[2]



ZY9 B16
DS101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B16	CH101	9x19	1:10" RH, 6 Grooves	17+1	41 cm / 16"	3,10 kg / 6.8lb.	84 cm / 33"	Semi Automatic	CH[1]
ZY9 B16	DS101	9x19	1:10" RH, 6 Grooves	17+1	41 cm / 16"	3,20 kg / 7lb.	84 cm / 33"	Semi Automatic	DS[2]



ZY9 B10-10
DS101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B10-10	CH101	9x19	1:10" RH, 6 Grooves	17+1	25 cm / 10"	2,70 kg / 5.95lb.	69 cm / 27.1"	Semi Automatic	CH[1]
ZY9 B10-10	DS101	9x19	1:10" RH, 6 Grooves	17+1	25 cm / 10"	2,80 kg / 6.2lb.	69 cm / 27.1"	Semi Automatic	DS[2]



ZY9 B18
DS101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B18	CH101	9x19	1:10" RH, 6 Grooves	17+1	45.7 cm / 18"	3,15 kg / 6.95lb.	89 cm / 35"	Semi Automatic	CH[1]
ZY9 B18	DS101	9x19	1:10" RH, 6 Grooves	17+1	45.7 cm / 18"	3,25 kg / 7.1lb.	89 cm / 35"	Semi Automatic	DS[2]



ZY9 B14
DS101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B14	CH101	9x19	1:10" RH, 6 Grooves	17+1	37 cm / 14.5"	3,00 kg / 6.6lb.	80 cm / 31.5"	Semi Automatic	CH[1]
ZY9 B14	DS101	9x19	1:10" RH, 6 Grooves	17+1	37 cm / 14.5"	3,10 kg / 6.8lb.	80 cm / 31.5"	Semi Automatic	DS[2]



ZY9 B20
DS101

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
ZY9 B20	CH101	9x19	1:10" RH, 6 Grooves	17+1	50 cm / 20"	3,20 kg / 7lb.	94 cm / 37"	Semi Automatic	CH[1]
ZY9 B20	DS101	9x19	1:10" RH, 6 Grooves	17+1	50 cm / 20"	3,30 kg / 7.3lb.	94 cm / 37"	Semi Automatic	DS[2]

CH[1] = Charging Handle only on the top (AR style)
DS[2] = Dual System, Charging handle on the top and on the side